



**Town of Coventry  
Rhode Island  
Sewer Installation Permit**

Permit Number  
20060861

Permit Date  
01/22/2025

NOTE: For all commercial and industrial applications, a Commercial Pre-treatment permit must first be approved by the Town of Coventry.

Plat Number: 29                      Lot Number: 207.000000

Location: 866 TIOGUE AV

Contractor *UNIVERSAL EXCAVATING*                      Back Water Valve Required YES

Owner Information      Mota Realty, LLC  
481 Dyer Avenue  
CRANSTON RI 02920

BY: *[Signature]*  
ENGINEERING DEPARTMENT

Date                      01/22/2025

- \* THIS PERMIT IS SUBJECT TO THE ORDINANCES OF THE TOWN OF COVENTRY AND MAY BE REVOKED BY THE TOWN ENGINEER.
- \* CELLAR BOTTOM NOT GUARANTEED.
- \* INSPECTIONS MUST BE SCHEDULED WITH A MINIMUM OF 48 HOURS NOTICE. NO INSPECTIONS WILL BE MADE ON WEEKENDS OR HOLIDAYS. AT THE TIME OF THE INSPECTION THE SEWER PERMIT MUST BE PRESENTED TO THE INSPECTOR WITH A DETAILED SKETCH DEPICTING THE CONNECTION WITH ACCURATE MEASUREMENTS SHOWING CONNECTION DEPTH, CLEAN-OUT LOCATIONS AND THE POINT OF CONNECTION TO THE LATERAL.
- \* A RE-INSPECTION FEE OF 100% WILL BE CHARGED EACH TIME AN ADDITIONAL INSPECTION IS NEEDED.
- \* BRASS CAPS ARE REQUIRED ON ALL CLEANOUTS.
- \* MAGNETIC TAPE IS TO BE INSTALLED 2' BELOW GROUND LEVEL, ALONG ENTIRE LENGTH OF SEWER CONNECTION.
- \* IF OPENING OF THE ROAD IS REQUIRED A ROAD OPENING PERMIT MUST BE OBTAINED WITH THE TOWN OF COVENTRY DEPARTMENT OF PUBLIC WORKS.
- \* IF A PUMP IS REQUIRED, CONTRACTOR SHALL INSURE ALL DOWNSTREAM VALVES ARE OPEN PRIOR TO PUMP START UP.